

and with at least sufficient clearance such that sheet label material can optionally be positioned between the left-side tray wall and the left-side case wall and between the right-side tray wall and the right-side case wall, and

(iii) at least a portion of each of the left-side and right-side tray walls being at least sufficiently transparent to see sheet label material therethrough; and

(c) a means for retaining the tray on the case.

2. (Currently Amended) A storage device for a disc media, the storage device comprising:

(a) a case, the case comprising:

(i) bottom, top, left-side, right-side, and back-side case walls defining a generally rectangular, box-like shape having a bottom, top, left side, right side, back side, and front side,

(ii) a cavity defined inside the case walls that is at least sufficient to accommodate the disc media, and

(iii) an opening defined in the front side of the case, the opening being at least sufficient for inserting the disc media edgewise into the cavity;

(b) a tray, the tray comprising:

(i) central, left-side, and right-side tray walls defining a generally rectangular, tray-like shape, wherein when the tray is positioned on the case, the tray does not prevent inserting the disc media into the cavity through the opening in the front side of the case,

(ii) the left-side and right-side tray walls being sufficiently spaced apart such that the left-side and right-side case walls of the case can be positioned between the left-side and right-side tray walls and with at least sufficient clearance such that sheet label material can optionally be positioned between the left-side tray wall and the left-side case wall and between the right-side tray wall and the right-side case wall, and

- (iii) at least a portion of each of the left-side and right-side tray walls being at least sufficiently transparent to see sheet label material therethrough; and
  - (c) a means for retaining the tray on the case.
  
- 3. (Currently Amended) A storage device for a disc media, the storage device comprising:
  - (a) a case, the case comprising:
    - (i) bottom, top, left-side, right-side, and back-side case walls defining a generally rectangular, box-like shape having a bottom, top, left side, right side, back side, and front side, wherein the left side and the right side of the case are shorter than the back side and front side of the case,
    - (ii) a cavity defined inside the case walls that is at least sufficient to accommodate the disc media, and
    - (iii) an opening defined in the front side of the case, the opening being at least sufficient for inserting the disc media edgewise into the cavity;
  - (b) a tray, the tray comprising:
    - (i) central, left-side, and right-side tray walls defining a generally rectangular, tray-like shape,
    - (ii) the left-side and right-side tray walls being sufficiently spaced apart such that the left-side and right-side case walls of the case can be positioned between the left-side and right-side tray walls and with at least sufficient clearance such that sheet label material can optionally be positioned between the left-side tray wall and the left-side case wall and between the right-side tray wall and the right-side case wall, and
    - (iii) at least a portion of each of the left-side and right-side tray walls being at least sufficiently transparent to see sheet label material therethrough; and
  - (c) a means for retaining the tray on the case.

4. (Currently Amended) A storage device for a disc media, the storage device comprising:
- (a) a case, the case comprising:
    - (i) bottom, top, left-side, right-side, and back-side case walls defining a generally rectangular, box-like shape having a bottom, top, left side, right side, back side, and front side,
    - (ii) a cavity defined inside the case that is at least sufficient to accommodate the disc media, and
    - (iii) an opening defined in the front side of the case, the opening being at least sufficient for inserting the disc media edgewise into the cavity;
  - (b) a tray, the tray comprising:
    - (i) central, left-side, and right-side tray walls defining a generally rectangular, tray-like shape,
    - (ii) the left-side and right-side tray walls being sufficiently spaced apart such that the left-side and right-side case walls of the case can be positioned between the left-side and right-side tray walls and with at least sufficient clearance such that sheet label material can optionally be positioned between the left-side tray wall and the left-side case wall and between the right-side tray wall and the right-side case wall, and
    - (iii) at least a portion of each of the left-side and right-side tray walls being at least sufficiently transparent to see sheet label material therethrough; and
  - (c) at least one set of projecting and recess structures on the left-side tray wall and left-side case wall and at least one set of projecting and recess structures on each of the right-side tray wall and right-side case wall, the structures cooperating to retain the tray on the case.

5. (Currently Amended) A storage device for a disc media, the storage device comprising:

(a) a case, the case comprising:

- (i) bottom, top, left-side, right-side, and back-side case walls defining a generally rectangular, box-like shape having a bottom, top, left side, right side, back side, and front side,
- (ii) a cavity defined inside the case that is at least sufficient to accommodate the disc media, and
- (iii) an opening defined in the front side of the case, the opening being at least sufficient for inserting the disc media edgewise into the cavity;

(b) a tray, the tray comprising:

- (i) central, left-side, and right-side tray walls defining a generally rectangular, tray-like shape,
- (ii) the left-side and right-side tray walls being sufficiently spaced apart such that the left-side and right-side case walls of the case can be positioned between the left-side and right-side tray walls and with at least sufficient clearance such that sheet label material can optionally be positioned between the left-side tray wall and the left-side case wall and between the right-side tray wall and the right-side case wall, and
- (iii) at least a portion of each of the left-side and right-side tray walls being at least sufficiently transparent to see sheet label material therethrough; and

(c) a groove having closed ends along each of the left-side and right-side case walls, and at least three spaced-apart projecting structures on each of the left-side and right-side tray walls adapted to be positioned in the groove of each of the left-side and right-side case walls, respectively, wherein two of the three spaced-apart projecting structures on each of the left-side and right-side walls are sufficient to retain the tray on the case and guide the tray to slide forward or backward on the left-side and right-side walls of the case.

6. (Original) The storage device according to claim 5, wherein the three spaced-apart projections are quarter-spherical in shape.

7. (Previously canceled).

8. (Previously canceled).

9. (Previously canceled).

10. (Original) The storage device according to any one of claims 2 and 4-6, wherein the left side and the right side of the case are shorter than the back side and front side of the case.

11. (Previously canceled).

12. (Previously canceled).

13. (Previously canceled).

14. (Previously canceled).

15. (Previously canceled).

16. (Previously canceled).

17. (Previously canceled).

18. (Previously canceled).

19. (Previously canceled).

20. (Previously canceled).

21. (Previously canceled).

22. (Previously canceled).

23. (Previously canceled).

24. (Previously canceled).

25. (Previously canceled).

26. (Previously canceled).

27. (Previously canceled).

28. (Previously canceled).

29. (Previously canceled).

30. (Previously canceled).

31. (Previously canceled).

32. (Previously canceled).


33. (Previously canceled).

34. (Previously canceled).

35. (Previously canceled).

36. (Previously canceled).

37. (Previously canceled).

- 
38. (Previously canceled).  
39. (Previously canceled).  
40. (Previously canceled).  
41. (Previously canceled).  
42. (Previously canceled).  
43. (Previously canceled).  
44. (Previously canceled).  
45. (Previously canceled).  
46. (Previously canceled).  
47. (Previously canceled).  
48. (Previously canceled).  
49. (Previously canceled).  
50. (Previously canceled).  
51. (Previously canceled).  
52. (Previously canceled).

53. (Original) The storage device according to any one of claims 1-6, wherein the tray further comprises: front-side and back-side tray walls, such that, when the tray is retained on the case, the central tray wall can be spaced apart from the bottom case wall and a printed media can be retained between the bottom case wall and central tray wall by the left-side, right-side, front-side, and back-side tray walls.

54. (Currently Amended) The storage device according to claim 53, wherein the height of the front-side tray wall does not prevent inserting the disc media into the cavity through the opening in the front side of the case.

55. (Previously canceled).  
56. (Previously canceled).  
57. (Previously canceled).  
58. (Previously canceled).  
59. (Previously canceled).  
60. (Previously canceled).  
61. (Previously canceled).

62. (Previously canceled).

63. (Original) The storage device according to any one of claims 1-3, wherein the means for retaining the tray on the case further comprises: a means for selectively removing and attaching the tray and the case, whereby the case can be used independently of the tray.

64. (Original) The storage device according to any one of claims 1-3, wherein the means for retaining the tray on the case further comprises: at least one set of projecting and recess structures on the left-side tray wall and left-side case wall and at least one set of projecting and recess structures on each of the right-side tray wall and right-side case wall, the structures cooperating to retain the tray on the case.

65. (Original) The storage device according to any one of claims 1-3, wherein the means for retaining the tray on the case further comprises: a means for selectively moving the tray between a closed position on the case and an open position, such that when the tray is in the open position, printed media can be selectively inserted or removed from between the case and the tray.

66. (Original) The storage device according to claim 65, wherein the means for selectively moving the tray on the case further comprises: a means for sliding the tray relative to the case between the closed position and the open position.

67. (Original) The storage device according to claim 66, wherein the means for sliding the tray relative to the case further comprises: a means for sliding the tray in a parallel direction along the left-side and right-side case walls.

68. (Original) The storage device according to claim 66, wherein the means for retaining the tray on the case further comprises: at least one set of projecting and groove structures on the left-side tray wall and left-side case wall and at least one set of projecting and groove structures on each of the right-side tray wall and right-side case wall, the structures cooperating to retain the tray on the case.

69. (Original) The storage device according to claim 68, wherein the groove structures are parallel to the left-side and right-side case walls.

70. (Previously canceled).

71. (Previously canceled).

72. (Previously canceled).

73. (Previously canceled).

74. (Previously canceled).

75. (Previously canceled).

76. (Previously canceled).

77. (Previously canceled).

78. (Previously canceled).

79. (Previously canceled).

a'